

ENG 2025-01: 2025 Resurfacing
Project Information Sheet

***** Hilltop Heights Subdivision *****

Johnson Hill Drive – 0.27 Miles – 23' wide – Beginning at New Statenville Highway Ending at Hill Top Drive

- Bituminous tack coat before each lift
- Milling – width of road bed – 1.5" deep at C&G section at intersection of New Statenville Highway
- Leveling – 80lbs OGI
- Topping – 165lbs 12.5 mm Superpave
- Pick up all shoulder clippings on entire road
- Shoulder grading – see detail
- Permanent grassing (Hydro-seed)
- Temporary centerline stripe 4" wide – once after leveling
- Temporary centerline and edge line stripe 4" wide – once after topping
- Permanent centerline and edge line stripe 5" wide – 15 days after topping
- 2 Stop Bars (24" Thermoplastic)