



DISCLAIMER: UNIVERSALPEGASUS INTERNATIONAL MAKES NO WARRANTY (EXPRESSED, IMPLIED OR OTHERWISE) THAT THE INFORMATION CONTAINED HEREIN IS ACCURATE OR COMPLETE AS TO ANY AND ALL SUBSURFACE CONDITIONS AND CONFORMATION. ANY RELIANCE CONTRACTOR PLACES ON THE INFORMATION CONTAINED HEREIN AS TO SUCH CONDITIONS, IS DONE SO AT ITS OWN RISK AND EXPENSE. IT IS THE SOLE RESPONSIBILITY OF THE CONTRACTOR TO CONTACT THE STATE "ONE CALL" SYSTEM PRIOR TO ANY EXCAVATION.

SURVEY DATA		STATIONING	
MATCHLINE 5550+00	MATCHLINE 5600+00	5550+00	5600+00

ENGINEERING DATA		MATERIAL	
MATCHLINE 5550+00	MATCHLINE 5600+00	44-7K# SBW 11.5 CC	7 1482'
MATCHLINE 5550+00	MATCHLINE 5600+00	5551+03 5551+20 5555+98	10 1250'
MATCHLINE 5550+00	MATCHLINE 5600+00	5560+05 5564+82 5565+62 5569+45 5573+28 5578+14 5578+12 5578+12 5578+92 5579+40 5579+79 5581+77 5582+57 5584+49	11 80'
MATCHLINE 5550+00	MATCHLINE 5600+00	5581+83 5582+03 5582+32 5582+53	9-7K# SBW 10.5 CC
MATCHLINE 5550+00	MATCHLINE 5600+00	5584+49 5588+15	7 2108'

ENVIRONMENTAL DATA		STATIONS	
MATCHLINE 5550+00	MATCHLINE 5600+00	5551+53 5555+47	5573+09 5573+73

BILL OF MATERIALS				MISCELLANEOUS MATERIALS				TYPICAL DRAWINGS		GENERAL INFORMATION		LEGEND		REVISIONS				APPROVALS			
ITEM NO.	QTY	UOM	DESCRIPTION	QTY	UOM	DESCRIPTION	DWG/FIELD BOOK NO.	TITLE	1. THE MINIMUM DEPTH OF COVER FOR THE PROJECT IS 36 INCHES. ADDITIONAL DEPTH OF COVER IS REQUIRED FOR ROAD AND WATERBODY CROSSINGS, AND IS TO BE IN ACCORDANCE WITH REFERENCED PERMIT DRAWINGS, SITE SPECIFIC DRAWINGS, OR CONSTRUCTION SPECIFICATIONS, WHICHEVER IS MORE STRINGENT.	HDD PIPE	PIPELINE ROUTE	NO.	DESCRIPTION	DATE	REV BY	CHK BY	APP BY	DRAWN BY:	MB	CONSTRUCTION PERMIT NO.	
10	1250	FT	30" O.D. x 0.429" W.T., API 5L, X70, PSL2, DSAW, 14-16 MILS FBE	6	EA	SET ON WEIGHTS	21040-510-TYP-20001	CATHODIC PROTECTION STD. SINGLE POINT TEST STATION, TYPE 1	2. THE BOUNDARIES OF ALL WORK AREAS WILL BE CLEARLY MARKED AND ALL WORK SHALL REMAIN WITHIN THE DESIGNATED WORK AREA.	BORE PIPE	FENCE	1									
11	160	FT	30" O.D. x 0.617" W.T., API 5L, X70, PSL2, DSAW, 14-16 MILS FBE & 24-30 MILS ARO	3	EA	PIPELINE MARKERS	21040-510-TYP-20002	CATHODIC PROTECTION STD. FOREIGN PIPELINE CROSSING TEST STATION, TYPE 2	3. THE REQUIRED STATE ONE CALL NOTIFICATION IS THE RESPONSIBILITY OF THE CONSTRUCTION CONTRACTOR.	INDUCTION PIPE	POWER LINE	2									
FITTINGS SUMMARY				CONTINUOUS CONCRETE COATING				SPECIAL NOTES		PERMANENT ROW		ENVIRONMENTAL				FLORIDA SOUTHEAST CONNECTION PROJECT					
1	1	EA	10" 3R VERTICAL FITTING	0	EA	CP TEST STATION TYPE 1	21040-510-TYP-20028	TYPICAL OPEN CUT / BORE	4. THE CONTRACTOR SHALL ACCESS THE WORK AREA USING ONLY PUBLIC ROADS AND APPROVED ACCESS ROADS.	TEMPORARY WORKSPACE	RAILROAD	3									
1	1	EA	8" 3R VERTICAL FITTING	0	EA	CP TEST STATION TYPE 2	21040-510-TYP-20029	TYPICAL SADDLE BAG WEIGHTS	5. ADDITIONAL WARNING SIGNS MAY BE REQUIRED AS DICTATED BY CONSTRUCTION CONTRACT.	NON FORESTED WETLAND	HIGHWAY / ROAD	4									
PIPE ASSEMBLIES				PIPE COATING DATA				SPECIAL NOTES		FORESTED WETLAND		COMPANY				FLORIDA SOUTHEAST CONNECTION PROJECT					
GIRTH WELD COATING: 2 PART EPOXY				14 MIL MINIMUM FBE AND 24 MIL MINIMUM ARO				SPECIAL NOTES		WATERBODY		APPROVAL				FLORIDA SOUTHEAST CONNECTION PROJECT					
INTERNAL COATING (YES/NO): NO				24 MIL MINIMUM ARO				SPECIAL NOTES		ROCKERY BUFFER (1000 FEET)		COMPANY				FLORIDA SOUTHEAST CONNECTION PROJECT					
								SPECIAL NOTES		TYPICAL DETAIL CONFIGURATION		APPROVAL				FLORIDA SOUTHEAST CONNECTION PROJECT					
								SPECIAL NOTES		POINT OF INTERSECTION (P)		APPROVAL				FLORIDA SOUTHEAST CONNECTION PROJECT					
								SPECIAL NOTES		VERTICAL FITTING		APPROVAL				FLORIDA SOUTHEAST CONNECTION PROJECT					
								SPECIAL NOTES		SPREAD BREAK		APPROVAL				FLORIDA SOUTHEAST CONNECTION PROJECT					
								SPECIAL NOTES		ENVIRONMENTAL SURVEY AREA		APPROVAL				FLORIDA SOUTHEAST CONNECTION PROJECT					