

**Soil Survey Field Notes**  
(Widening of I-75 from SR7 to SR 122, Lowndes Co., Georgia)

Station	Location	Approx. Cut/Fill*, ft	Boring Depth, ft	Ground water table, ft	Lab No.	In-place moisture	GDOT	Field Soil Description and Comments
Ramp DD 82+00	BL	On Grade	BT @ 5'	3	4734	11.9%	IIB1	1.0' to 5.0' Blackish sand
Ramp DD 87+00	BL	On Grade	BT @ 5'	NE	4735	10.8%	IIB2	1.0' to 5.0' Grey clayey sand
Ramp DD 92+00	BL	On Grade	BT @ 5'	NE	4736	12.5%	IIB2	1.0' to 5.0' Red clayey sand
Ramp DD 96+00	BL	On Grade	BT @ 5'	NE	4737	8.8%	IIB1	1.0' to 5.0' Red clayey sand
Ramp AA 30+00	BL	On Grade	BT @ 5'	NE	4738	8.2%	IIB2	1.0' to 5.0' Red clayey sand
Ramp AA 35+00	BL	9.0' Fill	BT @ 5'	NE	4739	8.7%	IIB2	1.0' to 5.0' Grey clayey sand
Ramp AA 40+00	BL	9.0' Fill	BT @ 5'	4.5	4740	12.5%	IIB2	1.0' to 5.0' Grey clayey sand
Ramp AA 45+00	BL	5.0' Fill	BT @ 5'	4	4741	11.7%	IIB2	1.0' to 5.0' Tan clayey sand

\* Depths of Fill/cut at boring locations are estimated from roadway cross sections

BT - Boring Terminated  
NE - Not Encountered  
AR - Auger Refusal